

1 The Thai language

The file `thai.dtx`¹ defines language-specific macros for Thai language.

1.1 Input encoding

Thai documents supported by this language definition can be encoded in either TIS-620 (ISO/IEC 8859-11) or UTF-8 with the aids of `inputenc` package.

`\thaitext` The commands `\thaitext` and `\latintext` can be used to switch to Thai or Latin fonts. These are declarations.

`\textthai` The commands `\textthai` and `\textlatin` both take one argument which is then typeset using the requested font encoding.

`\textlatin` The command `\textpali` takes one argument which is then typeset using Thai font encoding, with special shapes for certain characters, such as descender-less Yo Ying and Tho Than, as required by usual Pali text.

1.2 Word breaks

Thai is written continuously without word delimiters. The word boundary analysis is considered too complicated for rule-based approaches. Most available good-quality word analysis tools employ special matching algorithms against pre-defined dictionaries. Some even use statistics-based contextual analysis to resolve ambiguities. Therefore, no good hyphenation pattern is found to be comparable with those tools yet.

`\wbr` What provided here for the word boundary problem is the `\wbr` command for separating words. It delimits words without taking physical space, so that the \TeX typesetter still wraps lines at word boundary like when it typesets English text.

Therefore, one can preprocess their Thai document using Thai word analysis tools which automatically insert the `\wbr` commands between words, such as:

- *cttex* by Vuthichai Ampornaramveth
- *swath* by Phaisarn Charoenpornasawat, now maintained by Thai Linux Working Group, which can be downloaded from:
`ftp://linux.thai.net/pub/thailinux/software/swath`
To compile *swath*, you need *libdatrie* as the dependency:
`ftp://linux.thai.net/pub/thailinux/software/libthai`

1.3 Thai numbering

Some certain Thai documents use Thai digits instead of Arabic. And Thai alphabetic numbering is also commonly used for appendices. This file provides a number of numbering styles that can be applied to \LaTeX `\pagenumbering` command:

¹The file described in this section has version number v1.4c and was last revised on 2011/12/19. The original author was Surapant Meknavin, and it was composed into `thai.dtx` and maintained by Theppitak Karoonboonyanan (`thep@linux.thai.net`).

- `\thainum` for plain Thai digits
- `\thaibracenum` for Thai digits in parentheses
- `\thaialph` for Thai alphabetic numbering, using a reduced set (with three alphabets skipped: Kho Khuat, Kho Khon and Kho Rakhang)
- `\thaiAlph` for Thai alphabetic numbering, using the full set (with full alphabet set, plus two semi-vowels, Ru and Lu, in the order defined in Thai official dictionary)

`thainumber` The above numbering styles can be automatically chosen using the `thainumber` option. When supplying this option to the `babel` package, Thai numberings will be applied to pages, sections, enumerations, dates, etc.

1.4 Thai language definition

The macro `\LdfInit` takes care of preventing file from being loaded more than once, checking the category code of the `@` sign, etc.

```

1 <{*code}
2 \LdfInit\CurrentOption{captions\CurrentOption}
3 % \end{macrocode}
4 %
5 %   When this file is read as an option, i.e. by the |\usepackage{babel}|
6 %   command, \texttt{thai} will be an ‘unknown’ language in which
7 %   case we have to make it known. So we check for the existence of
8 %   |\l@thai| to see whether we have to do something here.
9 %
10 %   \begin{macrocode}
11 \ifx\l@thai\@undefined
12   \@nopatterns{thai}
13   \adddialect\l@thai0\fi

```

1.4.1 Thai character encoding

In this language definition, we support TIS-620, the national standard 8-bit character encoding, and Unicode by means of `inputenc` package.

The encoding has been described in terms of TIS-620 as LTH in the `lthenc.def` file. So, we require it.

```

14 \InputIfFileExists{lthenc.def}{%
15   \message{Loading the definitions for the Thai font encoding}}{%
16   \errhelp{I can't find the lthenc.def file for the Thai fonts}%
17   \errmessage{Since I do not know what the LTH encoding means^^J
18     I can't typeset Thai.^^J
19     I stop here, while you get a suitable lthenc.def file}\@@end
20 }

```

The next step consists of defining commands to switch to the Thai language. The reason for this is that a user might want to switch back and forth between languages.

`\thaitext` We define `\thaitext` as a declarative switch to Thai font encoding.

```

21 \DeclareRobustCommand{\thaitext}{%
22   \fontencoding{LTH}\selectfont%
23   \def\encodingdefault{LTH}}

```

`\textthai` This command takes an argument which is then typeset using Thai font encoding.

```

24 \DeclareRobustCommand{\textthai}[1]{\thaitext #1}

```

1.4.2 Pali-Sanskrit Characters

Thai script can also be used for writing Pali and Sanskrit. Additional conventions are applied when doing so: (a) Yo Ying and Tho Than must be written without descender; (b) Phinthu is used for marking cluster; (c) Nikhahit is used as a Pali-Sanskrit consonant.

(b) is inherently applicable as combining character. So is (c), with an exception for the case in which it is combined over upper vowel (namely, Sara I), where it must be shifted to higher position. Nikhahit shifting is implemented in the ligkern rules with the extra glyph provision in the fonts.

What is left here is (a). Yo Ying and Tho Than must be converted to their descender-less variations. The `\textpali` macro is defined for this purpose. Note that `\wbr` commands which are normally inserted by automatic tools are ignored here, as most of such tools are not designed for Pali/Sanskrit. Besides, Pali/Sanskrit is already space delimited.

`\textpali` This command converts all Yo Ying and Tho Than in its argument to their descender-less variations.

```

25 \DeclareRobustCommand{\textpali}[1]{%
26   \begingroup
27     \def\thaiYoYing{\textYoYingPali{}}%
28     \def\thaiThoThan{\textThoThanPali{}}%
29     \def\wbr{}%
30     \scantokens\expandafter{#1}\relax
31   \endgroup
32 }

```

1.4.3 Hyphenation

We define `\thaihyphenmins` macro for hyphenation parameters. This is one of the five macros required by `babel`.

`\thaihyphenmins` This macro is used to store the correct values of the hyphenation parameters `\lefthyphenmin` and `\righthyphenmin`. They are set to 11.

```

33 \providehyphenmins{thai}{11}

```

1.4.4 Captions translation

We define `\captionsthai` macro for translations of strings. This is one of the five macros required by `babel`.

`\captionsthai` The macro `\captionsthai` defines all strings used in the four standard document-classes provided with L^AT_EX.

```

34 \addto\captionsthai{%
35   \def\prefacename{\thaiKhoKhwai\thaiSaraAm\thaiNoNu\thaiSaraAm}%
36   \def\refname{\thaiSaraE\thaiOAng\thaiKoKai\thaiSoSua\thaiSaraAa\thaiRoRua%
37     \thaiOAng\thaiMaiTho\thaiSaraAa\thaiNgoNgu%
38     \thaiOAng\thaiSaraI\thaiNgoNgu}%
39   \def\abstractname{\thaiBoBaimai\thaiThoThahan%
40     \thaiKhoKhwai\thaiMaiHanakat\thaiDoDek%
41     \thaiYoYak\thaiMaiEk\thaiOAng}%
42   \def\bibname{\thaiBoBaimai\thaiRoRua\thaiRoRua\thaiNoNen\thaiSaraAa%
43     \thaiNoNu\thaiSaraU\thaiKoKai\thaiRoRua\thaiMoMa}%
44   \def\chaptername{\thaiBoBaimai\thaiThoThahan%
45     \thaiThoThahan\thaiSaraIi\thaiMaiEk}%
46   \def\appendixname{\thaiPhoSamphao\thaiSaraAa\thaiKhoKhwai%
47     \thaiPhoPhung\thaiNoNu\thaiWoWae\thaiKoKai}%
48   \def\contentsname{\thaiSoSua\thaiSaraAa\thaiRoRua%
49     \thaiBoBaimai\thaiMaiHanakat\thaiYoYing}%
50   \def\listfigurename{\thaiSoSua\thaiSaraAa\thaiRoRua%
51     \thaiBoBaimai\thaiMaiHanakat\thaiYoYing%
52     \thaiRoRua\thaiSaraU\thaiPoPla}%
53   \def\listtablename{\thaiSoSua\thaiSaraAa\thaiRoRua%
54     \thaiBoBaimai\thaiMaiHanakat\thaiYoYing%
55     \thaiToTao\thaiSaraAa\thaiRoRua\thaiSaraAa\thaiNgoNgu}%
56   \def\indexname{\thaiDoDek\thaiRoRua\thaiRoRua\thaiChoChang%
57     \thaiNoNu\thaiSaraIi}%
58   \def\figurename{\thaiRoRua\thaiSaraU\thaiPoPla%
59     \thaiThoThahan\thaiSaraIi\thaiMaiEk}%
60   \def\tablename{\thaiToTao\thaiSaraAa\thaiRoRua\thaiSaraAa\thaiNgoNgu%
61     \thaiThoThahan\thaiSaraIi\thaiMaiEk}%
62   \def\partname{\thaiPhoSamphao\thaiSaraAa\thaiKhoKhwai}%
63   \def\enclname{\thaiSoSua\thaiSaraI\thaiMaiEk\thaiNgoNgu%
64     \thaiThoThahan\thaiSaraIi\thaiMaiEk%
65     \thaiSaraAe\thaiNoNu\thaiBoBaimai%
66     \thaiMoMa\thaiSaraAa%
67     \thaiDoDek\thaiMaiTho\thaiWoWae\thaiYoYak}%
68   \def\ccname{\thaiSoSua\thaiSaraAm\thaiSaraE\thaiNoNu\thaiSaraAa%
69     \thaiThoThung\thaiSaraUe\thaiNgoNgu}%
70   \def\headtoname{\thaiSaraE\thaiRoRua\thaiSaraIi\thaiYoYak\thaiNoNu}%
71   \def\pagename{\thaiHoHip\thaiNoNu\thaiMaiTho\thaiSaraAa}%
72   \def\seename{\thaiDoDek\thaiSaraUu}%
73   \def\alsoname{\thaiDoDek\thaiSaraUu%
74     \thaiSaraE\thaiPhoPhan\thaiSaraI\thaiMaiEk\thaiMoMa%
75     \thaiSaraE\thaiToTao\thaiSaraI\thaiMoMa}%
76   \def\proofname{\thaiPhoPhan\thaiSaraI%

```

```

77 \thaiSoSua\thaiSaraUu\thaiChoChan\thaiNoNu\thaiThanthakhat}%
78 }

```

1.4.5 Date

Here we define `\datethai` macro for Thai date format. This is one of the five macros required by `babel`.

First, let's define the months in Thai.

```

79 \def\th@month{%
80 \ifcase\month\or
81 \thaiMoMa\thaiKoKai\thaiRoRua\thaiSaraAa\thaiKhoKhwai\thaiMoMa \or
82 \thaiKoKai\thaiSaraU\thaiMoMa\thaiPhoSampao\thaiSaraAa%
83 \thaiPhoPhan\thaiMaiHanakat\thaiNoNu\thaiThoThong\thaiThanthakhat \or
84 \thaiMoMa\thaiSaraI\thaiNoNu\thaiSaraAa\thaiKhoKhwai\thaiMoMa \or
85 \thaiSaraE\thaiMoMa\thaiSoRusi\thaiSaraAa\thaiYoYak\thaiNoNu \or
86 \thaiPhoPhan\thaiRu\thaiSoRusi\thaiPhoSampao\thaiSaraAa%
87 \thaiKhoKhwai\thaiMoMa \or
88 \thaiMoMa\thaiSaraI\thaiThoThong\thaiSaraU\thaiNoNu\thaiSaraAa%
89 \thaiYoYak\thaiNoNu \or
90 \thaiKoKai\thaiRoRua\thaiKoKai\thaiDoChada\thaiSaraAa%
91 \thaiKhoKhwai\thaiMoMa \or
92 \thaiSoSua\thaiSaraI\thaiNgonNgu\thaiHoHip\thaiSaraAa%
93 \thaiKhoKhwai\thaiMoMa \or
94 \thaiKoKai\thaiMaiHanakat\thaiNoNu\thaiYoYak\thaiSaraAa%
95 \thaiYoYak\thaiNoNu \or
96 \thaiToTao\thaiSaraU\thaiLoLing\thaiSaraAa\thaiKhoKhwai\thaiMoMa \or
97 \thaiPhoPhan\thaiRu\thaiSoSala\thaiChoChan\thaiSaraI\thaiKoKai\thaiSaraAa%
98 \thaiYoYak\thaiNoNu \or
99 \thaiThoThong\thaiMaiHanakat\thaiNoNu\thaiWoWaen\thaiSaraAa%
100 \thaiKhoKhwai\thaiMoMa
101 \fi}

```

Thai official calendar uses Buddhist Era, the era whose start is marked by Buddha's entry into Parinirvana. In original form, it is a lunar calendar. But in Thai contemporary calendar, it is synchronized to Gregorian calendar, with offset of 543 years back.

```

102 \newcount\th@year
103 \th@year=\year
104 \advance\th@year by 543

```

Then, we come to the `\datethai` macro.

`\datethai` Thai date format is in the day-month-year order, using Buddhist Era.

```

105 \def\datethai{%
106 \def\today{\number\day \space \th@month\space %
107 \thaiPhoPhan.\thaiSoSala.\number\th@year}}

```

1.4.6 Extra definitions for language switching

Then, the last two macros required by `babel` are `\extrasthai` and `\noextrasthai` containing extra definitions needed for Thai language upon switching to and out of it, respectively.

```
108 \addto\extrasthai{\thaitext}
109 \addto\noextrasthai{\latintext}
```

1.5 Word break support

As Thai script is written continuously without word delimiters, we define `\wbr` command to mark word boundaries without taking space, so that `TeX`typesetter can wrap Thai lines at proper positions.

```
110 \def\wbr{\hskip0pt\relax}
111 \renewcommand{\baselinestretch}{1.2}
```

1.6 Thai numbering support

This section provides Thai numbering styles as described at the beginning of this document: `\thainum`, `\thaibracenum`, `\thaialph` and `\thaiAlph`.

First, we define a macro for translating decimal digits into Thai digits.

```
\thaitranslate The \thaitranslate macro determines decimal digits in the argument and con-
                vert them to Thai digit one by one, until the ‘@’ terminator is found.
112 \def\thaitranslate#1{\ifx @#1%
113     \else\ifcase#1
114         \thaizero \or \thaione \or \thaitwo \or \thaithree \or \thaifour \or
115         \thaifive \or \thaisix \or \thaiseven \or \thaieight \or \thainine
116         \else\fi
117         \expandafter\thaitranslate
118     \fi
119 }
```

`\thainum` The `\thainum` macro is to be used as a numbering style in `LATEX` `\pagenumbering` command.

It takes a counter name and converts its value into Thai digits. In details, it prepends the counter name with ‘c@’ to access the counter value, then calls `\@thainum` to convert it into Thai digits.

The `\@thainum` macro converts a number into Thai digits. It expands the argument into a number, terminates it with ‘@’, and calls `\thaitranslate` to convert it into Thai digits.

```
120 \def\@thainum#1{\expandafter\thaitranslate\number#1@}
121 \def\thainum#1{\expandafter\@thainum\csname c@#1\endcsname}
```

`\thaibracenum` Similar to `\thainum`, the `\thaibracenum` macro is to be used as a numbering style in `LATEX` `\pagenumbering` command.

It provides Thai digits numbering, surrounded by parentheses.

```

122 \def\@thaibracenum#1{(\expandafter\thaitranslate\number#1@)}
123 \def\thaibracenum#1{(\expandafter\@thaibracenum\csname c@#1\endcsname)}

```

Now come to Thai alphabetic numbering, beginning with the reduced set.

\thaialph The **\thaialph** macro is to be used as a numbering style in L^AT_EX **\pagenumbering** command.

It converts a number not greater than 41 into Thai alphabet in the corresponding order in the reduced set. In this set, 3 characters are skipped: Kho Khuat, Kho Khon and Kho Rakhang.

```

124 \def\thaialph#1{(\expandafter\@thaialph\csname c@#1\endcsname)}
125 \def\@thaialph#1{%
126   \ifcase#1\or \thaiKoKai\or \thaiKhoKhai\or \thaiKhoKhwai\or \thaiNgoNgu\or
127     \thaiChoChan\or \thaiChoChing\or \thaiChoChang\or \thaiSoSo\or
128     \thaiChoChoe\or \thaiYoYing\or \thaiDoChada\or \thaiToPatak\or
129     \thaiThoThan\or \thaiThoNangmontho\or \thaiThoPhuthao\or \thaiNoNen\or
130     \thaiDoDek\or \thaiToTao\or \thaiThoThung\or \thaiThoThahan\or
131     \thaiThoThong\or \thaiNoNu\or \thaiBoBaimai\or \thaiPoPla\or
132     \thaiPhoPhung\or \thaiFoFa\or \thaiPhoPhan\or \thaiFoFan\or
133     \thaiPhoSamphao\or \thaiMoMa\or \thaiYoYak\or \thaiRoRua\or
134     \thaiLoLing\or \thaiWoWaen\or \thaiSoSala\or \thaiSoRusi\or
135     \thaiSoSua\or \thaiHoHip\or \thaiLoChula\or \thaiOAng\or
136     \thaiHoNokhuk\else\@ctrerr\fi}

```

\thaiAlpha Similar to **\thaialph**, the **\thaiAlpha** macro provides Thai alphabetic numbering with full alphabet set in the order defined in Thai official dictionary. So, it supports up to 44 entries.

```

137 \def\thaiAlpha#1{(\expandafter\@thaiAlpha\csname c@#1\endcsname)}
138 \def\@thaiAlpha#1{%
139   \ifcase#1\or \thaiKoKai\or \thaiKhoKhai\or \thaiKhoKhuat\or \thaiKhoKhwai\or
140     \thaiKhoKhon\or \thaiKhoRakhang\or \thaiNgoNgu\or \thaiChoChan\or
141     \thaiChoChing\or \thaiChoChang\or \thaiSoSo\or \thaiChoChoe\or
142     \thaiYoYing\or \thaiDoChada\or \thaiToPatak\or \thaiThoThan\or
143     \thaiThoNangmontho\or \thaiThoPhuthao\or \thaiNoNen\or \thaiDoDek\or
144     \thaiToTao\or \thaiThoThung\or \thaiThoThahan\or \thaiThoThong\or
145     \thaiNoNu\or \thaiBoBaimai\or \thaiPoPla\or \thaiPhoPhung\or
146     \thaiFoFa\or \thaiPhoPhan\or \thaiFoFan\or \thaiPhoSamphao\or
147     \thaiMoMa\or \thaiYoYak\or \thaiRoRua\or \thaiLoLing\or
148     \thaiWoWaen\or \thaiSoSala\or \thaiSoRusi\or \thaiSoSua\or
149     \thaiHoHip\or \thaiLoChula\or \thaiOAng\or \thaiHoNokhuk\else\@ctrerr\fi}

```

1.6.1 thainumber option

Not all Thai documents use Thai digits. So, we support this as an option. If **thainumber** option is supplied in the **\usepackage** command, all numbering will use Thai digits.

```

150 \DeclareOption{thainumber}{

```

We need to use the ‘@’ character in macro implementations. So, make it a normal character.

```
151 \catcode'\@=11
```

Then, set default page numbering to `thainum`, and redefine counters to `thainum`.

```
152 \pagenumbering{thainum}
153 \renewcommand\theenumi{\@thainum\c@enumi}
154 \renewcommand\theenumii{\@thaialph\c@enumii}
155 %\renewcommand\theenumiii{\@roman\c@enumiii}
156 %\renewcommand\theenumiv{\@Alph\c@enumiv}
157 \@ifundefined{thechapter}%
158   {\renewcommand\thesection{\@thainum\c@section}%
159     \renewcommand\thesubsection{\thesection.\@thainum\c@subsection}%
160     \renewcommand\thesubsubsection{\thesubsection.\@thainum\c@subsubsection}%
161     \renewcommand\theparagraph {\thesubsubsection.\@thainum\c@paragraph}%
162     \renewcommand\thesubparagraph {\theparagraph.\@thainum\c@subparagraph}%
163     \renewcommand\theequation{\@thainum\c@equation}%
164     \renewcommand\thetable{\@thainum\c@table}%
165     \renewcommand\thefigure{\@thainum\c@figure}}%
166 {\renewcommand\thepart{\@thainum\c@part}%
167   \renewcommand\thechapter{\@thainum\c@chapter}%
168   \renewcommand\thesection{\thechapter.\@thainum\c@section}%
169   \renewcommand\thesubsection{\thesection.\@thainum\c@subsection}%
170   \renewcommand\thesubsubsection{\thesubsection.\@thainum\c@subsubsection}%
171   \renewcommand\theparagraph {\thesubsubsection.\@thainum\c@paragraph}%
172   \renewcommand\thesubparagraph {\theparagraph.\@thainum\c@subparagraph}%
173   \renewcommand\theequation%
174     {\ifnum \c@chapter>z@ \thechapter.\fi \@thainum\c@equation}%
175   \renewcommand \thetable%
176     {\ifnum \c@chapter>z@ \thechapter.\fi \@thainum\c@table}%
177   \renewcommand \thefigure%
178     {\ifnum \c@chapter>z@ \thechapter.\fi \@thainum\c@figure}}
179 \renewcommand\thefootnote{\@thainum\c@footnote}
```

For theorems, we support all custom theorem counters at once by redefining `\@thmcounter` macro.

```
180 \def\@thmcounter#1{\noexpand\thainum{#1}}
```

In book class, page numberings for frontmatter and mainmatter are different. So, redefine them.

```
181 \@ifclassloaded{book}{%
182   % redefine page numbering for frontmatter and mainmatter
183   \def\ps@headnum{\let\@mkboth\@gobbletwo
184     \def\@oddhead{\reset@font\hfil\thepage\hfil}\let\@oddfoot\@empty
185     \let\@evenhead\@oddhead\let\@evenfoot\@empty}
186   \let\@ltxfrontmatter\frontmatter
187   \renewcommand\frontmatter{\@ltxfrontmatter\pagestyle{headnum}\pagenumbering{thaibracenum}}
188   \let\@ltxmainmatter\mainmatter
```



```

189 \renewcommand\mainmatter{\@ltxmainmatter\pagestyle{headings}\pagenumbering{thainum}}
190 }{}

Redefine Thai date using Thai digits.

191 \def\datethai{%
192 \def\today{\@thainum\day \space \th@month\space \thaiPhoPhan.\thaiSoSala.\@thainum\th@yea

And finish declaration of thainumber option

193 \relax
194 }

Always use thaialph as counter for appendix

195 \@ifclassloaded{book}{%
196 \renewcommand\appendix{\par
197 \setcounter{chapter}{0}%
198 \setcounter{section}{0}%
199 \gdef\@chapapp{\appendixname}%
200 \gdef\thechapter{\@thaialph\c@chapter}}
201 }{}
202 \@ifclassloaded{report}{%
203 \renewcommand\appendix{\par
204 \setcounter{chapter}{0}%
205 \setcounter{section}{0}%
206 \gdef\@chapapp{\appendixname}%
207 \gdef\thechapter{\@thaialph\c@chapter}}
208 }{}
209 \@ifclassloaded{article}{%
210 \renewcommand\appendix{\par
211 \setcounter{section}{0}%
212 \setcounter{subsection}{0}%
213 \gdef\thesection{\@thaialph\c@section}}
214 }{}

```

1.7 Miscellaneous

Initialize character codes for Thai

```

215 \catcode'\^^a1=11 \lccode'\^^a1='\^^a1 \uccode'\^^a1='\^^a1
216 \catcode'\^^a2=11 \lccode'\^^a2='\^^a2 \uccode'\^^a2='\^^a2
217 \catcode'\^^a3=11 \lccode'\^^a3='\^^a3 \uccode'\^^a3='\^^a3
218 \catcode'\^^a4=11 \lccode'\^^a4='\^^a4 \uccode'\^^a4='\^^a4
219 \catcode'\^^a5=11 \lccode'\^^a5='\^^a5 \uccode'\^^a5='\^^a5
220 \catcode'\^^a6=11 \lccode'\^^a6='\^^a6 \uccode'\^^a6='\^^a6
221 \catcode'\^^a7=11 \lccode'\^^a7='\^^a7 \uccode'\^^a7='\^^a7
222 \catcode'\^^a8=11 \lccode'\^^a8='\^^a8 \uccode'\^^a8='\^^a8
223 \catcode'\^^a9=11 \lccode'\^^a9='\^^a9 \uccode'\^^a9='\^^a9
224 \catcode'\^^aa=11 \lccode'\^^aa='\^^aa \uccode'\^^aa='\^^aa
225 \catcode'\^^ab=11 \lccode'\^^ab='\^^ab \uccode'\^^ab='\^^ab
226 \catcode'\^^ac=11 \lccode'\^^ac='\^^ac \uccode'\^^ac='\^^ac
227 \catcode'\^^ad=11 \lccode'\^^ad='\^^ad \uccode'\^^ad='\^^ad

```

```

228 \catcode'\^^ae=11 \lccode'\^^ae='\^^ae \uccode'\^^ae='\^^ae
229 \catcode'\^^af=11 \lccode'\^^af='\^^af \uccode'\^^af='\^^af
230 \catcode'\^^b0=11 \lccode'\^^b0='\^^b0 \uccode'\^^b0='\^^b0
231 \catcode'\^^b1=11 \lccode'\^^b1='\^^b1 \uccode'\^^b1='\^^b1
232 \catcode'\^^b2=11 \lccode'\^^b2='\^^b2 \uccode'\^^b2='\^^b2
233 \catcode'\^^b3=11 \lccode'\^^b3='\^^b3 \uccode'\^^b3='\^^b3
234 \catcode'\^^b4=11 \lccode'\^^b4='\^^b4 \uccode'\^^b4='\^^b4
235 \catcode'\^^b5=11 \lccode'\^^b5='\^^b5 \uccode'\^^b5='\^^b5
236 \catcode'\^^b6=11 \lccode'\^^b6='\^^b6 \uccode'\^^b6='\^^b6
237 \catcode'\^^b7=11 \lccode'\^^b7='\^^b7 \uccode'\^^b7='\^^b7
238 \catcode'\^^b8=11 \lccode'\^^b8='\^^b8 \uccode'\^^b8='\^^b8
239 \catcode'\^^b9=11 \lccode'\^^b9='\^^b9 \uccode'\^^b9='\^^b9
240 \catcode'\^^ba=11 \lccode'\^^ba='\^^ba \uccode'\^^ba='\^^ba
241 \catcode'\^^bb=11 \lccode'\^^bb='\^^bb \uccode'\^^bb='\^^bb
242 \catcode'\^^bc=11 \lccode'\^^bc='\^^bc \uccode'\^^bc='\^^bc
243 \catcode'\^^bd=11 \lccode'\^^bd='\^^bd \uccode'\^^bd='\^^bd
244 \catcode'\^^be=11 \lccode'\^^be='\^^be \uccode'\^^be='\^^be
245 \catcode'\^^bf=11 \lccode'\^^bf='\^^bf \uccode'\^^bf='\^^bf
246 \catcode'\^^c0=11 \lccode'\^^c0='\^^c0 \uccode'\^^c0='\^^c0
247 \catcode'\^^c1=11 \lccode'\^^c1='\^^c1 \uccode'\^^c1='\^^c1
248 \catcode'\^^c2=11 \lccode'\^^c2='\^^c2 \uccode'\^^c2='\^^c2
249 \catcode'\^^c3=11 \lccode'\^^c3='\^^c3 \uccode'\^^c3='\^^c3
250 \catcode'\^^c4=11 \lccode'\^^c4='\^^c4 \uccode'\^^c4='\^^c4
251 \catcode'\^^c5=11 \lccode'\^^c5='\^^c5 \uccode'\^^c5='\^^c5
252 \catcode'\^^c6=11 \lccode'\^^c6='\^^c6 \uccode'\^^c6='\^^c6
253 \catcode'\^^c7=11 \lccode'\^^c7='\^^c7 \uccode'\^^c7='\^^c7
254 \catcode'\^^c8=11 \lccode'\^^c8='\^^c8 \uccode'\^^c8='\^^c8
255 \catcode'\^^c9=11 \lccode'\^^c9='\^^c9 \uccode'\^^c9='\^^c9
256 \catcode'\^^ca=11 \lccode'\^^ca='\^^ca \uccode'\^^ca='\^^ca
257 \catcode'\^^cb=11 \lccode'\^^cb='\^^cb \uccode'\^^cb='\^^cb
258 \catcode'\^^cc=11 \lccode'\^^cc='\^^cc \uccode'\^^cc='\^^cc
259 \catcode'\^^cd=11 \lccode'\^^cd='\^^cd \uccode'\^^cd='\^^cd
260 \catcode'\^^ce=11 \lccode'\^^ce='\^^ce \uccode'\^^ce='\^^ce
261 \catcode'\^^cf=11 \lccode'\^^cf='\^^cf \uccode'\^^cf='\^^cf
262 \catcode'\^^d0=11 \lccode'\^^d0='\^^d0 \uccode'\^^d0='\^^d0
263 \catcode'\^^d1=11 \lccode'\^^d1='\^^d1 \uccode'\^^d1='\^^d1
264 \catcode'\^^d2=11 \lccode'\^^d2='\^^d2 \uccode'\^^d2='\^^d2
265 \catcode'\^^d3=11 \lccode'\^^d3='\^^d3 \uccode'\^^d3='\^^d3
266 \catcode'\^^d4=11 \lccode'\^^d4='\^^d4 \uccode'\^^d4='\^^d4
267 \catcode'\^^d5=11 \lccode'\^^d5='\^^d5 \uccode'\^^d5='\^^d5
268 \catcode'\^^d6=11 \lccode'\^^d6='\^^d6 \uccode'\^^d6='\^^d6
269 \catcode'\^^d7=11 \lccode'\^^d7='\^^d7 \uccode'\^^d7='\^^d7
270 \catcode'\^^d8=11 \lccode'\^^d8='\^^d8 \uccode'\^^d8='\^^d8
271 \catcode'\^^d9=11 \lccode'\^^d9='\^^d9 \uccode'\^^d9='\^^d9
272 \catcode'\^^da=11 \lccode'\^^da='\^^da \uccode'\^^da='\^^da
273 \catcode'\^^df=12 \lccode'\^^df='\^^df \uccode'\^^df='\^^df
274 \catcode'\^^e0=11 \lccode'\^^e0='\^^e0 \uccode'\^^e0='\^^e0
275 \catcode'\^^e1=11 \lccode'\^^e1='\^^e1 \uccode'\^^e1='\^^e1
276 \catcode'\^^e2=11 \lccode'\^^e2='\^^e2 \uccode'\^^e2='\^^e2
277 \catcode'\^^e3=11 \lccode'\^^e3='\^^e3 \uccode'\^^e3='\^^e3

```

```

278 \catcode'\^^e4=11 \lccode'\^^e4='\^^e4 \uccode'\^^e4='\^^e4
279 \catcode'\^^e5=11 \lccode'\^^e5='\^^e5 \uccode'\^^e5='\^^e5
280 \catcode'\^^e6=11 \lccode'\^^e6='\^^e6 \uccode'\^^e6='\^^e6
281 \catcode'\^^e7=11 \lccode'\^^e7='\^^e7 \uccode'\^^e7='\^^e7
282 \catcode'\^^e8=11 \lccode'\^^e8='\^^e8 \uccode'\^^e8='\^^e8
283 \catcode'\^^e9=11 \lccode'\^^e9='\^^e9 \uccode'\^^e9='\^^e9
284 \catcode'\^^ea=11 \lccode'\^^ea='\^^ea \uccode'\^^ea='\^^ea
285 \catcode'\^^eb=11 \lccode'\^^eb='\^^eb \uccode'\^^eb='\^^eb
286 \catcode'\^^ec=11 \lccode'\^^ec='\^^ec \uccode'\^^ec='\^^ec
287 \catcode'\^^ed=11 \lccode'\^^ed='\^^ed \uccode'\^^ed='\^^ed
288 \catcode'\^^ee=11 \lccode'\^^ee='\^^ee \uccode'\^^ee='\^^ee
289 \catcode'\^^ef=12 \lccode'\^^ef='\^^ef \uccode'\^^ef='\^^ef
290 \catcode'\^^f0=12 \lccode'\^^f0='\^^f0 \uccode'\^^f0='\^^f0
291 \catcode'\^^f1=12 \lccode'\^^f1='\^^f1 \uccode'\^^f1='\^^f1
292 \catcode'\^^f2=12 \lccode'\^^f2='\^^f2 \uccode'\^^f2='\^^f2
293 \catcode'\^^f3=12 \lccode'\^^f3='\^^f3 \uccode'\^^f3='\^^f3
294 \catcode'\^^f4=12 \lccode'\^^f4='\^^f4 \uccode'\^^f4='\^^f4
295 \catcode'\^^f5=12 \lccode'\^^f5='\^^f5 \uccode'\^^f5='\^^f5
296 \catcode'\^^f6=12 \lccode'\^^f6='\^^f6 \uccode'\^^f6='\^^f6
297 \catcode'\^^f7=12 \lccode'\^^f7='\^^f7 \uccode'\^^f7='\^^f7
298 \catcode'\^^f8=12 \lccode'\^^f8='\^^f8 \uccode'\^^f8='\^^f8
299 \catcode'\^^f9=12 \lccode'\^^f9='\^^f9 \uccode'\^^f9='\^^f9
300 \catcode'\^^fa=12 \lccode'\^^fa='\^^fa \uccode'\^^fa='\^^fa
301 \catcode'\^^fb=12 \lccode'\^^fb='\^^fb \uccode'\^^fb='\^^fb
302 \ldf@finish{\CurrentOption}
303 \</code>

```